

Report Created: 9/23/2014 3:43:13 PM

**Basinwide Summary: March 1, 2013  
(averages based on 1981-2010 reference period)**

Reservoir Storage Summary for the end of February 2013

| Bear River                    | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
|-------------------------------|---------------|-----------------|---------------|----------------|--------------------|----------------------|--------------------|-------------------|---------------------|
| BEAR LAKE                     | 783.2         | 993.6           | 594.1         | 1421.0         | 55%                | 70%                  | 42%                | 132%              | 167%                |
| HYRUM RESERVOIR               | 9.8           | 12.4            | 11.2          | 15.3           | 64%                | 81%                  | 73%                | 88%               | 111%                |
| PORCUPINE RESERVOIR           | 6.4           | 11.3            | 7.0           | 11.3           | 57%                | 100%                 | 62%                | 91%               | 161%                |
| WOODRUFF CREEK                | 2.2           | 3.7             | 2.6           | 4.0            | 55%                | 93%                  | 65%                | 85%               | 142%                |
| WOODRUFF NARROWS RESERVOIR    | 8.7           | 49.0            | 31.6          | 57.3           | 15%                | 86%                  | 55%                | 28%               | 155%                |
| Basin-wide Total              | 810.3         | 1070.0          | 646.5         | 1508.9         | 54%                | 71%                  | 43%                | 125%              | 166%                |
| # of reservoirs               | 5             | 5               | 5             | 5              | 5                  | 5                    | 5                  | 5                 | 5                   |
| Weber Ogden Rivers            | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
| CAUSEY RESERVOIR              | 4.4           | 6.4             | 3.2           | 7.1            | 62%                | 90%                  | 45%                | 139%              | 200%                |
| EAST CANYON RESERVOIR         | 27.8          | 46.0            | 34.9          | 49.5           | 56%                | 93%                  | 71%                | 80%               | 132%                |
| ECHO RESERVOIR                | 23.5          | 58.4            | 47.9          | 73.9           | 32%                | 79%                  | 65%                | 49%               | 122%                |
| LOST CREEK RESERVOIR          | 15.6          | 20.3            | 12.2          | 22.5           | 69%                | 90%                  | 54%                | 128%              | 166%                |
| PINEVIEW RESERVOIR            | 49.4          | 87.3            | 53.0          | 110.1          | 45%                | 79%                  | 48%                | 93%               | 165%                |
| ROCKPORT RESERVOIR            | 30.9          | 39.9            | 34.8          | 60.9           | 51%                | 65%                  | 57%                | 89%               | 115%                |
| WILLARD BAY                   | 138.7         | 187.2           | 138.4         | 215.0          | 65%                | 87%                  | 64%                | 100%              | 135%                |
| SMITH AND MOREHOUSE RESERVOIR | 3.2           | 6.0             | 3.6           | 81.0           | 4%                 | 7%                   | 4%                 | 88%               | 167%                |
| Basin-wide Total              | 293.6         | 451.4           | 328.0         | 620.0          | 47%                | 73%                  | 53%                | 89%               | 138%                |
| # of reservoirs               | 8             | 8               | 8             | 8              | 8                  | 8                    | 8                  | 8                 | 8                   |
| Provo R Utah Lake Jordan R    | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
| DEER CREEK RESERVOIR          | 127.8         | 142.9           | 112.0         | 149.7          | 85%                | 95%                  | 75%                | 114%              | 128%                |
| STRAWBERRY RESERVOIR          | 895.5         | 974.8           | 660.5         | 1105.9         | 81%                | 88%                  | 60%                | 136%              | 148%                |
| UTAH LAKE                     | 742.1         | 895.0           | 785.8         | 870.9          | 85%                | 103%                 | 90%                | 94%               | 114%                |
| JORDANELLE RESERVOIR          | 181.1         | 265.1           | 239.4         | 320.0          | 57%                | 83%                  | 75%                | 76%               | 111%                |
| Basin-wide Total              | 1946.5        | 2277.8          | 1797.7        | 2446.5         | 80%                | 93%                  | 73%                | 108%              | 127%                |
| # of reservoirs               | 4             | 4               | 4             | 4              | 4                  | 4                    | 4                  | 4                 | 4                   |
| Tooele Valley Vernon Creek    | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
| VERNON CREEK RESERVOIR        | 0.2           | 0.6             | 0.5           | 0.6            | 33%                | 100%                 | 87%                | 38%               | 115%                |
| SETTLEMENT CANYON RESERVOIR   | 0.4           | 0.9             | 0.7           | 1.0            | 40%                | 90%                  | 69%                | 58%               | 130%                |
| GRANTSVILLE RESERVOIR         | 1.2           | 3.2             | 2.1           | 3.3            | 36%                | 97%                  | 64%                | 57%               | 152%                |
| Basin-wide Total              | 1.8           | 4.7             | 3.3           | 4.9            | 37%                | 96%                  | 68%                | 54%               | 142%                |
| # of reservoirs               | 3             | 3               | 3             | 3              | 3                  | 3                    | 3                  | 3                 | 3                   |
| Northeastern Uintahs          | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
| FLAMING GORGE RESERVOIR       | 2968.0        | 3293.0          | 3014.0        | 3749.0         | 79%                | 88%                  | 80%                | 98%               | 109%                |
| STATELINE RESERVOIR           | 4.7           | 6.2             | 5.2           | 12.0           | 39%                | 52%                  | 43%                | 90%               | 120%                |
| MEEKS CABIN RESERVOIR         | 7.6           | 17.3            | 11.9          | 32.5           | 23%                | 53%                  | 37%                | 63%               | 146%                |
| Basin-wide Total              | 2980.2        | 3316.6          | 3031.1        | 3793.5         | 79%                | 87%                  | 80%                | 98%               | 109%                |
| # of reservoirs               | 3             | 3               | 3             | 3              | 3                  | 3                    | 3                  | 3                 | 3                   |
| Duchesne River                | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
| STEINAKER RESERVOIR           | 13.0          | 32.6            | 23.1          | 33.4           | 39%                | 98%                  | 69%                | 56%               | 141%                |
| RED FLEET RESERVOIR           | 14.3          | 21.6            | 18.3          | 25.7           | 55%                | 84%                  | 71%                | 78%               | 118%                |
| BIG SAND WASH RESERVOIR       | 17.8          | 24.3            |               | 25.7           | 69%                | 95%                  |                    |                   |                     |
| UPPER STILLWATER RESERVOIR    | 8.6           | 9.9             | 7.6           | 32.5           | 27%                | 30%                  | 23%                | 113%              | 130%                |
| STARVATION RESERVOIR          | 143.1         | 163.6           | 144.5         | 165.3          | 87%                | 99%                  | 87%                | 99%               | 113%                |
| MOON LAKE RESERVOIR           | 10.6          | 23.1            | 26.3          | 35.8           | 30%                | 65%                  | 73%                | 40%               | 88%                 |
| CURRENT CREEK RESERVOIR       | 14.7          | 15.1            | 14.8          | 15.5           | 95%                | 97%                  | 95%                | 99%               | 102%                |
| STRAWBERRY RESERVOIR          | 895.5         | 974.8           | 660.5         | 1105.9         | 81%                | 88%                  | 60%                | 136%              | 148%                |
| Basin-wide Total              | 1117.6        | 1265.0          | 895.1         | 1439.8         | 78%                | 88%                  | 63%                | 123%              | 139%                |
| # of reservoirs               | 8             | 8               | 7             | 8              | 7                  | 7                    | 7                  | 7                 | 7                   |
| Price San Rafael              | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |
| JOES VALLEY RESERVOIR         | 33.7          | 47.3            | 40.0          | 61.6           | 55%                | 77%                  | 65%                | 84%               | 118%                |
| MILLSITE                      | 5.0           | 12.0            | 10.2          | 16.7           | 30%                | 72%                  | 61%                | 49%               | 118%                |
| HUNTINGTON NORTH RESERVOIR    | 3.5           | 4.1             | 3.3           | 4.2            | 84%                | 98%                  | 79%                | 108%              | 124%                |
| CLEVELAND LAKE                | 2.5           | 4.2             |               | 5.4            | 47%                | 78%                  |                    |                   |                     |
| MILLER FLAT RESERVOIR         | 1.8           | 4.4             |               | 5.2            | 35%                | 85%                  |                    |                   |                     |
| SCOFIELD RESERVOIR            | 30.1          | 51.6            | 30.7          | 65.8           | 46%                | 78%                  | 47%                | 98%               | 168%                |
| Basin-wide Total              | 76.7          | 123.6           | 84.2          | 158.9          | 49%                | 78%                  | 57%                | 86%               | 137%                |

|                            | # of reservoirs | 6             | 6               | 4             | 6              | 4                  | 4                    | 4                  | 4                 | 4                   | 4 |
|----------------------------|-----------------|---------------|-----------------|---------------|----------------|--------------------|----------------------|--------------------|-------------------|---------------------|---|
| Southeastern Utah          |                 | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| KEN'S LAKE                 |                 | 0.3           | 1.9             | 1.3           | 2.3            | 15%                | 83%                  | 54%                | 28%               | 152%                |   |
| Basin-wide Total           |                 | 0.4           | 1.9             | 1.3           | 2.3            | 15%                | 83%                  | 54%                | 28%               | 152%                |   |
| # of reservoirs            |                 | 1             | 1               | 1             | 1              | 1                  | 1                    | 1                  | 1                 | 1                   |   |
| Upper Sevier River         |                 | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| PIUTE RESERVOIR            |                 | 53.2          | 63.5            | 53.6          | 71.8           | 74%                | 88%                  | 75%                | 99%               | 118%                |   |
| OTTER CREEK RESERVOIR      |                 | 32.4          | 50.7            | 38.6          | 52.5           | 62%                | 97%                  | 74%                | 84%               | 131%                |   |
| PANGUITCH LAKE             |                 | 7.3           | 7.8             | 13.7          | 22.3           | 33%                | 35%                  | 61%                | 54%               | 57%                 |   |
| Basin-wide Total           |                 | 93.0          | 122.0           | 105.9         | 146.6          | 63%                | 83%                  | 72%                | 88%               | 115%                |   |
| # of reservoirs            |                 | 3             | 3               | 3             | 3              | 3                  | 3                    | 3                  | 3                 | 3                   |   |
| San Pitch River            |                 | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| GUNNISON RESERVOIR         |                 | 6.0           | 20.4            | 13.0          | 20.3           | 30%                | 100%                 | 64%                | 46%               | 157%                |   |
| Basin-wide Total           |                 | 6.0           | 20.4            | 13.0          | 20.3           | 30%                | 100%                 | 64%                | 46%               | 157%                |   |
| # of reservoirs            |                 | 1             | 1               | 1             | 1              | 1                  | 1                    | 1                  | 1                 | 1                   |   |
| Lower Sevier River         |                 | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| SEVIER BRIDGE RESERVOIR    |                 | 157.8         | 230.9           | 169.0         | 236.0          | 67%                | 98%                  | 72%                | 93%               | 137%                |   |
| Basin-wide Total           |                 | 157.8         | 230.9           | 169.0         | 236.0          | 67%                | 98%                  | 72%                | 93%               | 137%                |   |
| # of reservoirs            |                 | 1             | 1               | 1             | 1              | 1                  | 1                    | 1                  | 1                 | 1                   |   |
| Beaver River               |                 | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| MINERSVILLE RESERVOIR      |                 | 12.5          | 24.9            | 15.1          | 23.3           | 54%                | 107%                 | 65%                | 83%               | 165%                |   |
| Basin-wide Total           |                 | 12.5          | 24.9            | 15.1          | 23.3           | 54%                | 107%                 | 65%                | 83%               | 165%                |   |
| # of reservoirs            |                 | 1             | 1               | 1             | 1              | 1                  | 1                    | 1                  | 1                 | 1                   |   |
| Southwestern Utah          |                 | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| LAKE POWELL                |                 | 11891.0       | 15452.6         | 17055.0       | 24322.0        | 49%                | 64%                  | 70%                | 70%               | 91%                 |   |
| LOWER ENTERPRISE           |                 | 0.6           | 0.8             | 1.0           | 2.6            | 23%                | 31%                  | 39%                | 59%               | 78%                 |   |
| UPPER ENTERPRISE           |                 | 2.2           | 6.0             | 3.9           | 10.0           | 22%                | 60%                  | 39%                | 56%               | 154%                |   |
| KOLOB RESERVOIR            |                 | 4.3           | 3.0             |               | 5.6            | 77%                | 54%                  |                    |                   |                     |   |
| GUNLOCK                    |                 | 6.8           | 8.9             | 6.7           | 10.4           | 65%                | 86%                  | 64%                | 101%              | 133%                |   |
| SAND HOLLOW RESERVOIR      |                 | 40.1          | 48.8            |               | 50.0           | 80%                | 98%                  |                    |                   |                     |   |
| QUAIL CREEK                |                 | 24.2          | 29.7            | 30.0          | 40.0           | 60%                | 74%                  | 75%                | 81%               | 99%                 |   |
| Basin-wide Total           |                 | 11969.2       | 15549.8         | 17096.6       | 24440.6        | 49%                | 64%                  | 70%                | 70%               | 91%                 |   |
| # of reservoirs            |                 | 7             | 7               | 5             | 7              | 5                  | 5                    | 5                  | 5                 | 5                   |   |
| State                      |                 | Current (KAF) | Last Year (KAF) | Average (KAF) | Capacity (KAF) | Current % Capacity | Last Year % Capacity | Average % Capacity | Current % Average | Last Year % Average |   |
| BIG SAND WASH RESERVOIR    |                 | 17.8          | 24.3            |               | 25.7           | 69%                | 95%                  |                    |                   |                     |   |
| CAUSEY RESERVOIR           |                 | 4.4           | 6.4             | 3.2           | 7.1            | 62%                | 90%                  | 45%                | 139%              | 200%                |   |
| CLEVELAND LAKE             |                 | 2.5           | 4.2             |               | 5.4            | 47%                | 78%                  |                    |                   |                     |   |
| CURRENT CREEK RESERVOIR    |                 | 14.7          | 15.1            | 14.8          | 15.5           | 95%                | 97%                  | 95%                | 99%               | 102%                |   |
| DEER CREEK RESERVOIR       |                 | 127.8         | 142.9           | 112.0         | 149.7          | 85%                | 95%                  | 75%                | 114%              | 128%                |   |
| EAST CANYON RESERVOIR      |                 | 27.8          | 46.0            | 34.9          | 49.5           | 56%                | 93%                  | 71%                | 80%               | 132%                |   |
| ECHO RESERVOIR             |                 | 23.5          | 58.4            | 47.9          | 73.9           | 32%                | 79%                  | 65%                | 49%               | 122%                |   |
| FLAMING GORGE RESERVOIR    |                 | 2968.0        | 3293.0          | 3014.0        | 3749.0         | 79%                | 88%                  | 80%                | 98%               | 109%                |   |
| GRANTSVILLE RESERVOIR      |                 | 1.2           | 3.2             | 2.1           | 3.3            | 36%                | 97%                  | 64%                | 57%               | 152%                |   |
| GUNLOCK                    |                 | 6.8           | 8.9             | 6.7           | 10.4           | 65%                | 86%                  | 64%                | 101%              | 133%                |   |
| GUNNISON RESERVOIR         |                 | 6.0           | 20.4            | 13.0          | 20.3           | 30%                | 100%                 | 64%                | 46%               | 157%                |   |
| HUNTINGTON NORTH RESERVOIR |                 | 3.5           | 4.1             | 3.3           | 4.2            | 84%                | 98%                  | 79%                | 108%              | 124%                |   |
| HYRUM RESERVOIR            |                 | 9.8           | 12.4            | 11.2          | 15.3           | 64%                | 81%                  | 73%                | 88%               | 111%                |   |
| JOES VALLEY RESERVOIR      |                 | 33.7          | 47.3            | 40.0          | 61.6           | 55%                | 77%                  | 65%                | 84%               | 118%                |   |
| JORDANELLE RESERVOIR       |                 | 181.1         | 265.1           | 239.4         | 320.0          | 57%                | 83%                  | 75%                | 76%               | 111%                |   |
| KEN'S LAKE                 |                 | 0.3           | 1.9             | 1.3           | 2.3            | 15%                | 83%                  | 54%                | 28%               | 152%                |   |
| KOLOB RESERVOIR            |                 | 4.3           | 3.0             |               | 5.6            | 77%                | 54%                  |                    |                   |                     |   |
| LOST CREEK RESERVOIR       |                 | 15.6          | 20.3            | 12.2          | 22.5           | 69%                | 90%                  | 54%                | 128%              | 166%                |   |
| LOWER ENTERPRISE           |                 | 0.6           | 0.8             | 1.0           | 2.6            | 23%                | 31%                  | 39%                | 59%               | 78%                 |   |
| MILLER FLAT RESERVOIR      |                 | 1.8           | 4.4             |               | 5.2            | 35%                | 85%                  |                    |                   |                     |   |
| MILLSITE                   |                 | 5.0           | 12.0            | 10.2          | 16.7           | 30%                | 72%                  | 61%                | 49%               | 118%                |   |
| MINERSVILLE RESERVOIR      |                 | 12.5          | 24.9            | 15.1          | 23.3           | 54%                | 107%                 | 65%                | 83%               | 165%                |   |
| MOON LAKE RESERVOIR        |                 | 10.6          | 23.1            | 26.3          | 35.8           | 30%                | 65%                  | 73%                | 40%               | 88%                 |   |
| OTTER CREEK RESERVOIR      |                 | 32.4          | 50.7            | 38.6          | 52.5           | 62%                | 97%                  | 74%                | 84%               | 131%                |   |
| PANGUITCH LAKE             |                 | 7.3           | 7.8             | 13.7          | 22.3           | 33%                | 35%                  | 61%                | 54%               | 57%                 |   |

|                               |         |         |         |         |     |      |     |      |      |
|-------------------------------|---------|---------|---------|---------|-----|------|-----|------|------|
| PINEVIEW RESERVOIR            | 49.4    | 87.3    | 53.0    | 110.1   | 45% | 79%  | 48% | 93%  | 165% |
| PIUTE RESERVOIR               | 53.2    | 63.5    | 53.6    | 71.8    | 74% | 88%  | 75% | 99%  | 118% |
| PORCUPINE RESERVOIR           | 6.4     | 11.3    | 7.0     | 11.3    | 57% | 100% | 62% | 91%  | 161% |
| QUAIL CREEK                   | 24.2    | 29.7    | 30.0    | 40.0    | 60% | 74%  | 75% | 81%  | 99%  |
| RED FLEET RESERVOIR           | 14.3    | 21.6    | 18.3    | 25.7    | 55% | 84%  | 71% | 78%  | 118% |
| ROCKPORT RESERVOIR            | 30.9    | 39.9    | 34.8    | 60.9    | 51% | 65%  | 57% | 89%  | 115% |
| SAND HOLLOW RESERVOIR         | 40.1    | 48.8    |         | 50.0    | 80% | 98%  |     |      |      |
| SCOFIELD RESERVOIR            | 30.1    | 51.6    | 30.7    | 65.8    | 46% | 78%  | 47% | 98%  | 168% |
| SETTLEMENT CANYON RESERVOIR   | 0.4     | 0.9     | 0.7     | 1.0     | 40% | 90%  | 69% | 58%  | 130% |
| SEVIER BRIDGE RESERVOIR       | 157.8   | 230.9   | 169.0   | 236.0   | 67% | 98%  | 72% | 93%  | 137% |
| SMITH AND MOREHOUSE RESERVOIR | 3.2     | 6.0     | 3.6     | 81.0    | 4%  | 7%   | 4%  | 88%  | 167% |
| STARVATION RESERVOIR          | 143.1   | 163.6   | 144.5   | 165.3   | 87% | 99%  | 87% | 99%  | 113% |
| STATELINE RESERVOIR           | 4.7     | 6.2     | 5.2     | 12.0    | 39% | 52%  | 43% | 90%  | 120% |
| STEINAKER RESERVOIR           | 13.0    | 32.6    | 23.1    | 33.4    | 39% | 98%  | 69% | 56%  | 141% |
| STRAWBERRY RESERVOIR          | 895.5   | 974.8   | 660.5   | 1105.9  | 81% | 88%  | 60% | 136% | 148% |
| UPPER ENTERPRISE              | 2.2     | 6.0     | 3.9     | 10.0    | 22% | 60%  | 39% | 56%  | 154% |
| UPPER STILLWATER RESERVOIR    | 8.6     | 9.9     | 7.6     | 32.5    | 27% | 30%  | 23% | 113% | 130% |
| UTAH LAKE                     | 742.1   | 895.0   | 785.8   | 870.9   | 85% | 103% | 90% | 94%  | 114% |
| VERNON CREEK RESERVOIR        | 0.2     | 0.6     | 0.5     | 0.6     | 33% | 100% | 87% | 38%  | 115% |
| WILLARD BAY                   | 138.7   | 187.2   | 138.4   | 215.0   | 65% | 87%  | 64% | 100% | 135% |
| WOODRUFF CREEK                | 2.2     | 3.7     | 2.6     | 4.0     | 55% | 93%  | 65% | 85%  | 142% |
| WOODRUFF NARROWS RESERVOIR    | 8.7     | 49.0    | 31.6    | 57.3    | 15% | 86%  | 55% | 28%  | 155% |
| LAKE POWELL                   | 11891.0 | 15452.6 | 17055.0 | 24322.0 | 49% | 64%  | 70% | 70%  | 91%  |
| MEEKS CABIN RESERVOIR         | 7.6     | 17.3    | 11.9    | 32.5    | 23% | 53%  | 37% | 63%  | 146% |
| BEAR LAKE                     | 783.2   | 993.6   | 594.1   | 1421.0  | 55% | 70%  | 42% | 132% | 167% |
| Basin-wide Total              | 18569.9 | 23484.2 | 23526.3 | 33735.7 | 55% | 70%  | 70% | 79%  | 99%  |
| # of reservoirs               | 50      | 50      | 45      | 50      | 45  | 45   | 45  | 45   | 45   |